

How to Make a Silver Lotion for Healing and Regeneration of Tissue

<https://is.gd/lotion>

Ingredients for base lotion: Oil, Beeswax, MSM & Colloidal Silver Pwd.

Ingredients for cayenne lotion: Oil, African Bird[^{'s} Eye Cayenne] Pepper, Beeswax, MSM & Colloidal Silver Pwd.

High quality beeswax is purchased from Amazon in five ounce units containing five or six one ounce size bars of soft beeswax capable of breakage with enough manual effort by twisting and bending these bars in your hands. Avoid the 'organic' one pound bars, for they are not edible. No bars, or blocks, of beeswax are advertised as being edible. It is strictly my opinion which are edible and which are not.

Melt high quality beeswax into the oil using a double boiler. Add the [Cayenne,] MSM and Colloidal Silver beeswax shavings. Stir. Pour into mugs to cool. Keep stirring while it cools. Refrigerate excess.

Dry, Colloidal Silver powder is made by creating a batch of colloidal silver from distilled water and a CS machine run until the liquid achieves a murky appearance with lots of silver debris floating around. This is, then, poured into another glass beaker with a flat bottom and straight sides. But first, attach four one ounce size bars of beeswax onto the bottom of the beaker using mild pressure and a slight twisting motion of your hand to slightly melt the surface of the end of the beeswax bar to get it to attach itself to the glass bottom of the dry beaker. Space these four bars away from the walls of the beaker and from each other and away from the magnetic stir bar that will twirl in the center so that

the murky solution can freely swirl around each bar. This will cause the particles of silver to adhere to the exposed sides of each beeswax bar and ultimately filter the water clean of excess silver. After several hours of active stirring, pour out the relatively clear/clean water and remove the beeswax bars and allow them to air dry. Shave their blackened sides with a potato peeler. Add this to the above recipe to contribute a considerable quantity of colloidal silver without adding any water so as to create an oil/beeswax based lotion free of water.

The frenulum, or where it used to be located if you're missing one, is the control spot for initiating regrowth of a foreskin. It is here that a urethral opening initiated its tunneling during the third trimester of our fetal development.

http://www.embryology.ch/video/ugenital/u_animPenis.mov

<http://vinyasi.info/media/regeneration/fetal%20development%20of%20the%20foreskin%20-%20original,%20small.mov>

<http://vinyasi.info/media/regeneration/fetal%20development%20of%20the%20foreskin%20-%20large.mp4>

<http://vinyasi.info/media/regeneration/fetal%20development%20of%20the%20foreskin%20-%20large.wmv>

This is not obvious from the above animation, but does begin to become obvious if we study the following photograph of a penis in which the foreskin is turned downward due to a tight frenulum severely pulling back on the foreskin.



<http://vinyasi.info/media/regeneration/curved%20penis%20with%20tight%20frenulum.jpg>

Thus, the frenulum is the location where the urethral opening of the foreskin is located. This is where we should be focusing our attention for stimulating regrowth of the entire foreskin. This is where the cayenne stimulant should be

placed, but a mere drop may do just fine and maybe held there for only a half hour before removing it by wiping it dry and reapplying several applications of base lotion – each one is removed – before the final reapplication is left on and covered with a gauze dressing or cotton, or other, fabric whose underside is well greased with the base lotion. This base lotion is reapplied every time this dressing is removed and reapplied for any reason (urinating, bathing, etc) so as to keep this area covered and moistened with lotion at all times throughout the healing ordeal. The application of cayenne lotion is merely a momentary thing since it can injure the flesh a little too much if left on too long. A little bit of injury is the target, but sustained over a few weeks until the body gets the message that we don't want it to merely slap scar tissue onto this area. Instead, we want full blown regeneration to occur replacing the foreskin according to DNA directions. Once this process is initiated by the body, we can back off of injuring this area and continue to apply the base lotion to keep this area constantly moist with ointment to encourage healing. That's where the silver and MSM come in handy. The oil and beeswax help coat the area to reduce pain and inflammation.