

EEVblog® Electronics Community Forum

A Free & Open Forum For Electronics Enthusiasts & Professionals

**Hello Chet**

Show unread posts since last visit.
Show new replies to your posts.
July 12, 2026, 02:21:40 pm

 This topic

News:
Be excellent to each other.

[Home](#) [Help](#) [Search](#) [Profile](#) [About us](#) [My Messages](#) [Calendar](#) [Links](#) [Members](#) [Logout](#)

EEVblog® Electronics Community Forum » Electronics » Projects, Designs, and Technical Stuff »
Nikola Tesla's Hairpin modified by Byron Brubaker to Pull Current from Ground

Product:	TDK High-voltage Common-mode Chokes	 
Description:	B82722V6 chokes are designed for voltages up to 1250VDC and effectively suppress EMI in next-generation applications, including industrial motor drives, switch-mode supplies, and power converters.	 Learn More




Introducing the UPO2204HD
Real 12-Bit Resolution 100MPts Memory
200MHz 4 Channels 1,000,000 wfms/s

Uni-TrendUS.com



BUDGET MULTIMETERS !!
ANENG, UNI-T and more...



« previous next »


Pages: [1] [Go Down](#)[REPLY](#)[ADD POLL](#)[UNNOTIFY](#)[MARK UNREAD](#)[SEND THIS TOPIC](#)[PRINT](#)[SEARCH](#)[Author](#)

Topic: Nikola Tesla's Hairpin modified by Byron Brubaker to Pull Current from Ground (Read 181)

Chet, Xena E and 3 Guests are viewing this topic.

 **Chet**

Frequent Contributor



Posts: 614

Country: 

Homeward Bound



 **Nikola Tesla's Hairpin modified by Byron Brubaker to Pull Current from Ground**

« on: Yesterday at 11:25:01 pm »

[Reply](#) [Quote](#) [Modify](#) [Remove](#)

Byron's original schematic:



Warning: these are simulations which have not been built from the following schematic. But if they were to be built, then they should probably accurately represent the simulated schematic.



Suggestion: The entire simulation, including the leakages (resistors IG1 through IG9, inclusive), and all four coils (L1 through L4, inclusive), should be built. Only the two batteries (EarthSource and MainsGnd) are not built — nor are their adjacent capacitors built (CapacitanceOfEarth1 and CapacitanceOfEarth2) — since these four components represent the Earth's contribution.



 brubaker-v3a.zip (1127.06 kB - downloaded 2 times.)

Report to moderator  76.176.57.65

[Time-Reversal and Free Energy Paradox](#): a talking head avatar posted to Substack.

 **amyk**

Super Contributor



Posts: 9115



 **Re: Nikola Tesla's Hairpin modified by Byron Brubaker to Pull Current from Ground**

« **Reply #1 on: Today** at 05:22:50 am »

 Say Thanks  Reply  Quote



This BS probably belongs in <https://www.eevblog.com/forum/dodgy-technology/>

Report to moderator  Logged

 **Andy Chee**

Super Contributor



Posts: 1965

Country: 



 **Re: Nikola Tesla's Hairpin modified by Byron Brubaker to Pull Current from Ground**

« **Reply #2 on: Today** at 06:14:45 am »

 Withdraw Thanks  Reply  Quote

Quote from: Chet on Yesterday at 11:25:01 pm

But if they were to be built, then they should probably accurately represent the simulated schematic.

Building is impossible without the following details;

- 1) primary turns
- 2) secondary turns
- 3) core material
- 4) core geometry
- 5) primary wire material
- 6) secondary wire material
- 7) primary wire diameter
- 8) secondary wire diameter

Report to moderator  Logged

The following users thanked this post: Chet

 **Xena E**

Super Contributor



Posts: 1266

Country: 



 **Re: Nikola Tesla's Hairpin modified by Byron Brubaker to Pull Current from Ground**

« **Reply #3 on: Today** at 07:35:54 am »

 Say Thanks  Reply  Quote

Quote from: amyk on Today at 05:22:50 am




This BS probably belongs in <https://www.eevblog.com/forum/dodgy-technology/>

Yeah, the post is the usual garbage from this member, they are being antagonistic and have been told before to keep their brain rot to the dodgy technology forum.

Report to moderator  Logged

 **Chet**

Frequent Contributor



Posts: 614

Country: 

Homeward Bound



 **Re: Nikola Tesla's Hairpin modified by Byron Brubaker to Pull Current from Ground**

« **Reply #4 on: Today** at 01:09:08 pm »

 Reply  Quote  Modify  Remove

Quote from: Andy Chee on Today at 06:14:45 am

Quote from: Chet on Yesterday at 11:25:01 pm
But if they were to be built, then they should probably accurately represent the simulated schematic.

Building is impossible without the following details;

- 1) primary turns
- 2) secondary turns
- 3) core material
- 4) core geometry
- 5) primary wire material
- 6) secondary wire material
- 7) primary wire diameter
- 8) secondary wire diameter

That's a good question. That's up to the builder to perform the conversions.



Report to moderator 76.176.57.65

[Time-Reversal and Free Energy Paradox](#): a talking head avatar posted to Substack.



themadhippy

Super Contributor



Posts: 4382

Country:



Re: Nikola Tesla's Hairpin modified by Byron Brubaker to Pull Current from Ground

« Reply #5 on: Today at 02:13:04 pm »



Say Thanks



Reply



Quote

Quote

Hairpin

more like harebrained

Report to moderator Logged

Pages: [1] **Go Up**

REPLY

ADD POLL

UNNOTIFY

MARK UNREAD

SEND THIS TOPIC

PRINT

SEARCH

« previous next »

Share me



EEVblog® Electronics Community Forum » Electronics » Projects, Designs, and Technical Stuff »
Nikola Tesla's Hairpin modified by Byron Brubaker to Pull Current from Ground

MOVE TOPIC

LINK TO CALENDAR

Jump to:

Quick Reply

MEET THE FAMILY

Oscilloscopes that share the same DNA, precision, performance & reliability

Now Those are Family Values.

ROHDE & SCHWARTZ
Make it your tool



EEVblog® Main Site

EEVblog® on Youtube

EEVblog® on Twitter

EEVblog® on Facebook

EEVblog® on Odysee

SMF 2.0.19 | SMF © 2021, Simple Machines
Simple Audio Video Embedder
SMFAds for Free Forums | Powered by SMFPacks Advanced Attachments Uploader Mod
XHTML | RSS | Mobile Mobile WAP2